

**PROJECT NUMBER:** 12-375-79

**TITLE:** Adrian Street Reconstruction

**LOCATION:** McKees Rocks Borough, Allegheny County, Pennsylvania

**OWNER:** Borough of McKees Rocks

**MANAGER(S):** Doug Evans

**ESTIMATED COST:** \$45,000

## **BID ADVERTISEMENT**

**CONTRACT NUMBER: 12-375-79**

### **ADRIAN STREET RECONSTRUCTION**

Sealed Bids are requested by the Borough of McKees Rocks at the Borough Manager's Office at 340 Bell Avenue, McKees Rocks, PA 15136 until 3:00 P.M. prevailing time, Thursday, August 1, 2019 for Adrian Street Reconstruction. Bids will be opened publicly and read aloud immediately after the closing time for receipt of Bids.

Interested parties may view the Profile and Bid Schedule for this Project on the internet at: [www.niraengineers.com](http://www.niraengineers.com).

Copies of the Bid Documents may be examined at the office of the Borough Manager of the Borough of McKees Rocks or at the office of NIRA Consulting Engineers, Inc., 950 Fifth Avenue, Coraopolis, Pennsylvania 15108. Copies thereof may be obtained from the office of NIRA Consulting Engineers, Inc., upon payment of a non-refundable sum of \$60.00. An additional charge of \$10.00 will be required for handling of Plans and Specifications when shipping is requested. Checks are to be made payable to NIRA Consulting Engineers, Inc. Bids must be submitted on the forms provided, and completed in strict accordance with the instructions provided. Each Bid must be accompanied by a Bid Bond, in the form of a Certified Check or Corporate Surety Bid Bond, in the amount of ten percent (10%) of the Bid Proposal made in the favor of the Borough of McKees Rocks. Only documents obtained directly from the Engineer/Architect will be valid at bid opening.

A Performance Bond, Labor and Material Payment Bond, and Maintenance Bond in the amounts specified within the Contract Documents will be required of the successful Bidder.

The Provisions of the Pennsylvania Prevailing Wage Act 442 do not apply to this project.

Bidders on this work will be required to comply with the Provisions of the Public Works Employment Verification Act (PWEVA).

Adherence to Instructions to Bidders is required.

No Bid or any part thereof shall be withdrawn by Bidder for a period of sixty (60) days subsequent to the Bid Opening.

The right is reserved by the Owner to reject any or all Bids or parts of bids and to waive technical defects in any Bid.

## PROJECT SCOPE

The work generally consists of providing all labor, materials, equipment, and supervision to perform the required excavation and proper disposal of the excavated materials, bulkhead construction, construction of 2A subbase grading, and construction of asphalt roadway pavement, as indicated on the Construction Drawings and as specified herein.

## BID SCHEDULE

ITEM NO.	DESCRIPTION	ESTIMATED QUANTITY	UNIT
1.	Mobilization, Insurance, Bonds, and Shop Drawings.	JOB	LS
2.	Maintenance and Protection of Traffic. (Adrian Street is Closed Within Work Site, This Item of Work Relates to Traffic Control at Intersections at Each End of the Site and Pedestrian Traffic (Control) In and Adjacent to the Site.)	JOB	LS
3.	Class 1 Excavation to a Minimum Depth of 11-1/4" for Removal and Disposal of Existing, Compromised Subbase and for Excavation for Concrete Bulkheads.	200	CY
4.	Class 1A Excavation, Including Backfill with No. 2A Limestone (As Directed Only for Removal and Replacement of Unsuitable Subgrade).	5	CY
5.	Concrete Bulkheads According to Plan and Plan Detail (Includes Re-Setting of Brick Pavers, Intended to Remain, Disturbed by Construction of Bulkheads).	JOB	LS
6.	PennDOT Class 4, Type B Woven Geotextile Fabric Placed on Prepared Subgrade.	820	SY
7.	8" PennDOT No. 2A Limestone Subbase Per Typical Section. Complete in Place.	730	SY
8.	Superpave HMA 25 mm Binder Course, PG 64-22, 0.0 to 0.3 Million ESAL's. 4" Depth per Typical Sections. Complete in Place.	730	SY
9.	Superpave HMA 9.5 mm Wearing Course. PG 64-22, 0.0 to 0.03 Million ESAL's SRL-G 1-1/2" Depth.	730	SY
10.	Removal of Existing Brick Pavers at NW Corner of Adrian Street and Robinson Street and Placement of 9.5 mm Wearing Course to a Depth of Brick Pavers.	8	SY